

Koseido Toolmaker Microscope

K-TMM-505D



Technical specifications:

Model	K-TMM-505D
Metall Stage Size	96×96mm
Glass Stage Size	152×152mm
Working Travel	50×50mm
Resolution of Micrometer	Digital 1um
Measuring Accuracy	≤5um
Max.Height of Specimen	115mm
Max.Weight of Specimen	2Kg

Max.Magnification	150× (Φ0.13mm) (15×Eyepiece+10×Objective)
Min.Magnification	20× (Φ6.5mm) (10×Eyepiece+2×Objective)
Standard Magnification	30× (Φ6.5mm) (15×Eyepiece+2×Objective)
Standard Working Distance	67mm
Eyepiece	Monocular(Diopter Adjustable),Depression angle:30°
Eyepiece Protractor	Range:360°;Graduation:1°
Vernier angle Reading	6′
Reticule	90°Broken Gross-Reticule
Illumination	Tungsten bulb(24V;2W),Lightness Adjustable
Power Supply	AC90V-240V,60Hz/50Hz
Dimension(D×W×H)	415×315×420mm
Packing Dimension(D×W×H)	210×333×391mm
Gross/Net Weight	18Kg/14Kg

Standard Delivery:

Product name		Product name		Product name	
15×Eyepiece		2×Objective		Anti-dust Cove	
Mitutoyo Digimatic Head Morometer (K-TMM-505D)		Operation Manual			

Optional Accessories:

Product name		Product name		Product name	
10×Eyepiece		5×Objective		10×Objective	
Rotary Table RTO		25mm Length Gauge		Built-in Reflected Bulb	



KŌSEIDO

高精度

PRECISION YOU CAN TRUST

— • AUTHORISED DISTRIBUTOR • —



PARTNERING FOR
PRECISION.
DELIVERING TRUST.

Your trusted source for advanced
Vision Measuring Solutions.



9212012856

CALL US



9350076343

CALL US



sandeep@bhagwatimail.com

EMAIL US



ISO:9001:2015

CERTIFIED



www.bhagwathardware.com

VISIT OUR WEBSITE

MEASURING TODAY • PERFECTING TOMORROW